Robert W. Goff , Director Division of Radiological Health Mississippi State Department Health 3150 Lawson Street P.O. Box 1700 Jackson, MS 39215-1700

Dear Mr. Goff:

We have reviewed the proposed changes to the Mississippi regulations, "Regulations for Control of Radiation in Mississippi", received by our office on March 3, 2005. These regulations were reviewed by comparison to the equivalent NRC rules in 10 CFR Parts 20, 32, and 35, and the requirements of the 2 amendments identified in the enclosed State Regulation Status (SRS) Data Sheet. We discussed our review of the regulations with you on March 3, 2005.

Tabiliton Mining the lattice of the Tribat the Surraimine guanuity Except kine move degrep the bits for Part 35 are adopted from the old Subpart J. For Mississippi's convenience, we have identified 10 sections that Mississippi will need to revise regarding the new Part 35 Training and Experience requirements once the revision to Part 35 is published. As a result of our review, no additional comments were identified. Please note that we have limited our review to regulations required for compatibility and/or health and safety. Under our current procedure, a finding that a State regulation meets the compatibility and health and safety categories of the equivalent NRC regulation may only be made based on a review of the final Mississippi regulation. However, we have determined that if these regulations were adopted without significant change they would meet the compatibility healthnumber of the determined of the compatibility healthnumber of the determined of the compatibility healthnumber of the compatibility of the compatibility healthnumber of

a copy of the "as published" 0 0 10.onve2b1 Tfvided to us for review. Asrrent pred in STP Procedure SA-201

	-			