


May 4, 2004

Mr. John L. Ferruolo
Supervising Rasiological Health Specialist
Office of Occupational and Rasiological Health
Department of Health
3 Capitol Hill
Providence RI 02908-5097

Dear Mr.

As a result of our review, we have ten comments. Under our current procedure, a finding that a State regulation meets the compatibility and health and safety categories of the equivalent NRC regulation may only be made based on a review of the final State regulation. Please provide a final amended version of your rules showing the location of any changes made in response to

of the regulations containing these requirements. We have included them in a separate chart



| | | | | | |
|---|--------|-------|--------|---|--|
| 4 | C.7.10 | 71.18 | 1996-1 | B | General License: Fissile Material, limited quantity per package The State's proposed regulations did not include paragraphs d & e for fissile materials. Also the transport index calculation appears to bs1 |
| | | | | | |
| | | | | | |

| | | | | | |
|---|--------|----------------------------|--|---|--|
| 7 | C.7.19 | 71.101 71.103 71.105 | | C | <p>Quality Assurance Requirements; Quality Assurance Organization; Quality Assurance Program</p> <p>The State's proposed regulations regarding Quality Assurance did not include the language contained in 71.101(a), (b), (c) and (g) which specifies quality assurance requirements and organization, including specific requirements</p> <p>State needs to revise their regulations to include design, purchase, fabrication, handling, storing, cleaning, inspection ,testing, operations, maintenance, repair and modification activities under a QA program. State should also include r discussion of QA organizations and programs similar to 71.103 in order to incorporate the essential objectives of the text of 71.101; and 71.103, including requirements 4or radiography containers as discussed in 71.101(g).</p> |
| | | | | | |

| | | | | | |
|---|-------|-------|--------|-----|--|
| 9 | C.5.8 | 40.42 | 1997-6 | H&S | <p>Expiration and termination of licenses and decommissioning of sites and separate buildings or outdoor areas</p> <p>The State's proposed regulations did not explicitly include the regulatory requirements defined in 40.42 paragraphs (c), (d), (e), (f), (g), (h), (i), (j), & (k)(1), (2), (3) regarding source material.</p> <p>The State needs to revise its regulations to include the regulatory requirements defined in 40.42 paragraphs (c), (d), (e), (f), (g), (h), (i), (j), & (k)(1), (2), (3) regarding source material.</p> |
| | | | | | |

| | | | | |
|--------|--------|--------|---|--|
| C.8.64 | 35.190 | 2002-2 | B | Training for uptake, dilution and excretion studies The State has retained part of the |
| | | | | |

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

